

Autoset SIM

230Vac Cod.12008429
24Vdc Cod.12008423



Autoset KALOS

230Vac Cod.12008438
230Vac Cod.12008439



Autoset KINEO 400

230Vac Cod.12008271
24Vdc Cod.12008290



Autoset XTILUS

230Vac Cod.12008272
24Vdc Cod.12008291



Autoset PLUS L

230Vac Cod.12008212



Autoset INTR/XL

230Vac Cod.12008252



Autoset SIM1

per cancelli scorrevoli / for sliding gates

Peso max cancello 500 Kg / Gate max. weight 500Kg
Autoset SIM1 comprende: / Autoset SIM1 includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007800	1	Motoriduttore SIM1 RA 230 / Motoreductor SIM1 RA 230 Centralina ERMES2 incorporata / ERMES2 control unit on board Contropiastra di fissaggio / Backing plate
12005109	2	Radiocomando rolling code 2Ch BRO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000553	1	Lampeggiante BRO LIGHT FIX 230 Vac / Flashing light circuit 230 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008429	1	Automazione completa 230 Vac per cancelli scorrevoli Complete automation 230 Vac for sliding gates

Autoset SIM24

per cancelli scorrevoli / for sliding gates

Peso max cancello 400 Kg / Gate max. weight 400Kg
Autoset SIM 24 comprende: / Autoset SIM 24 includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007810	1	Motoriduttore SIM24 SC / Motoreductor SIM24 SC Centralina SCOR.AS incorporata / SCOR.AS control unit on board Contropiastra di fissaggio / Backing plate
12005109	2	Radiocomando rolling code 2Ch BRO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000541	1	Lampeggiante BRO LIGHT FIX 24 Vac / Flashing light circuit 24 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008423	1	Automazione completa 24 Vdc per cancelli scorrevoli Complete automation 24 Vdc for sliding gates

Autoset KALOS 800kg

per cancelli scorrevoli / for sliding gates

Peso max cancello 800 Kg / Gate max. weight 800Kg
Autoset KALOS 80 comprende: / Autoset KALOS 80 includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007875	1	Motoriduttore KALOS 80 / Motoreductor KALOS 80 Centralina BIOS1 incorporata / BIOS1 control unit on board Contropiastra di fissaggio / Backing plate
12005109	2	Radiocomando rolling code 2Ch BRO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000553	1	Lampeggiante BRO LIGHT FIX 230 Vac / Flashing light circuit 230 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008438	1	Automazione completa 230 Vac per cancelli scorrevoli Complete automation 230 Vac for sliding gates

Autoset KALOS 1200kg

per cancelli scorrevoli / for sliding gates

Peso max cancello 1200 Kg / Gate max. weight 1200Kg
Autoset KALOS 120 comprende: / Autoset KALOS 120 includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007880	1	Motoriduttore KALOS 120 / Motoreductor KALOS 120 Centralina BIOS1 incorporata / BIOS1 control unit on board Contropiastra di fissaggio / Backing plate
12005109	2	Radiocomando rolling code 2Ch BRO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000553	1	Lampeggiante BRO LIGHT FIX 230 Vac / Flashing light circuit 230 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008439	1	Automazione completa 230 Vac per cancelli scorrevoli Complete automation 230 Vac for sliding gates

Autoset KINEO 400

per cancelli a due ante / for double-wing gates

Peso max anta 250 Kg / Maximum wing weight Kg.250
Lunghezza max anta 3 m / Maximum wing length 3 m
Autoset KINEO 400 comprende: / Autoset KINEO 400 includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
54000217	2	Motoriduttore KINEO 400 / KINEO 400 gearmotor
12006515	1	Centralina BIOS2 in box / BIOS2 control unit in box
12005109	2	Radiocomando rolling code 2Ch B.RO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000553	1	Lampeggiante B.RO LIGHT FIX 230 Vac / Flashing light fix circuit 230 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008271	1	Automazione completa 230 Vac per cancelli a due ante Complete automation 230 Vac for double - wing gates

Autoset KINEO 400 24V

per cancelli a due ante / for double-wing gates

Peso max anta 250 Kg / Maximum wing weight Kg.250
Lunghezza max anta 3 m / Maximum wing length 3 m
Autoset KINEO 400 24V comprende: / Autoset KINEO 400 24V includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
54000219	2	Motoriduttore KINEO 400 24V / KINEO 400 24V gearmotor
12006668	1	Centralina AS24 in box / AS24 control unit in box
12005109	2	Radiocomando rolling code 2Ch B.RO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000541	1	Lampeggiante B.RO LIGHT FIX 24 Vac / Flashing light fix circuit 24 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008290	1	Automazione completa 24 Vdc per cancelli a due ante Complete automation 24 Vdc for double - wing gates

Autoset XTILUS

per cancelli a due ante / for double-wing gates

Peso max anta 400 Kg / Maximum wing weight Kg.400
Lunghezza max anta 3.5 m / Maximum wing length 3.5 m
Autoset XTILUS comprende: / Autoset XTILUS includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007422	2	Motoriduttore XTILUS / XTILUS gearmotor
12006515	1	Centralina BIOS2 in box / BIOS2 control unit in box
12005109	2	Radiocomando rolling code 2Ch B.RO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000553	1	Lampeggiante B.RO LIGHT FIX 230 Vac / Flashing light fix circuit 230 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008272	1	Automazione completa 230 Vac per cancelli a due ante Complete automation 230 Vac for double - wing gates

Autoset XTILUS 24V

per cancelli a due ante / for double-wing gates

Peso max anta 350 Kg / Maximum wing weight Kg.350
Lunghezza max anta 3.5 m / Maximum wing length 3.5 m
Autoset XTILUS 24V comprende: / Autoset XTILUS 24V includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007424	2	Motoriduttore XTILUS 24V / XTILUS 24V gearmotor
12006668	1	Centralina AS24 in box / AS24 control unit in box
12005109	2	Radiocomando rolling code 2Ch B.RO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000541	1	Lampeggiante B.RO LIGHT FIX 24 Vac / Flashing light fix circuit 24 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008291	1	Automazione completa 24 Vdc per cancelli a due ante Complete automation 24 Vdc for double - wing gates

Autoset PLUS L

per cancelli a due ante / for double-wing gates

Peso max anta 500 Kg / Maximum wing weight Kg.500
Lunghezza max anta 4,5 m / Maximum wing length 4,5 m
Autoset PLUSL comprende: / Autoset PLUSL includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007435	2	Motoriduttore irreversibile PLUS L / Irreversible gearmotor PLUS L
12006515	1	Centralina BIOS2 in box / BIOS2 control unit in box
12005109	2	Radiocomando rolling code 2Ch BRO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000553	1	Lampeggiante BRO LIGHT FIX 230 Vac / Flashing light fix circuit 230 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
12008212	1	Automazione completa 230 Vac per cancelli a due ante Complete automation 230 Vac for double - wing gates

Autoset INT VS

per cancelli a due ante / for double-wing gates

Peso max anta 400 Kg / Maximum wing weight Kg.400
Lunghezza max anta 2.5 m / Maximum wing length 2.5 m
Autoset INT VS comprende: / Autoset INT VS includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007630	2	Motoriduttore irreversibile 24 Vdc INT VS / 24 Vdc Irreversible gearmotor INT VS
12007610	2	Cassa di fondazione CAC20 / CAC20 foundation box
12006666	1	Centralina AS24 INTERRATI in box / AS24 UNDERGROUND control unit in box
12005109	2	Radiocomando rolling code 2Ch BRO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000541	1	Lampeggiante BRO LIGHT FIX 24 Vac / Flashing light fix circuit 24 Vac B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
64000166	2	Sblocco a leva / Unlocking system at lever
12008265	1	Automazione completa 24 Vdc per cancelli a due ante Complete automation 24 Vdc for double - wing gates

Autoset INT R/XL

per cancelli a due ante / for double-wing gates

Peso max anta 800 Kg / Maximum wing weight Kg.800
Lunghezza max anta 3.5 m / Maximum wing length 3.5 m
Autoset INT R/XL comprende: / Autoset INT R/XL includes:

Codice / Code	Q. tà / Q.ty	Descrizione / Description
12007620	2	Motoriduttore irreversibile 230Vac INT R/XL / 230Vac irreversible gearmotor INT R/XL
12007610	2	Cassa di fondazione CAC20 / CAC20 foundation box
12006515	1	Centralina BIOS2 in box / BIOS2 control unit in box
12005109	2	Radiocomando rolling code 2Ch BRO2WN / 2 channel rolling code transmitter B.RO2WN
53601055	1	Inserto antenna AL433 / Antenna insert AL433
12000553	1	Lampeggiante BRO LIGHT FIX 230Vdc / Flashing light fix circuit 230Vdc B.RO LIGHT FIX
12000530	1	Supporto lampeggiante SUP L / Flashing light holder SUPL
12005935	1	Coppia fotocellule FT00/6 / Pair of photocells FT00/6
64000166	2	Sblocco a leva / Unlocking system at lever
12008252	1	Automazione completa 230 Vac per cancelli a due ante Complete automation 230 Vac for double - wing gates